

GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Services – Panchayat Raj & Rural Development Department – Irregularities committed in tender process in three (3) road works in Panchayat Raj Circle, Nellore against Sri V. Kailashnath, formerly i/c Superintending Engineer, Panchayat Raj, Nellore presently i/c Superintending Engineer, Panchayat Raj, Kakinada - Disciplinary proceedings initiated - Appointment of Chief Engineer, Panchayat Raj, Vigilance & Quality Control & SQC, Hyderabad as Enquiry Officer and the Superintending Engineer, Panchayat Raj, Nellore as Presenting Officer, under Rule 20 of Andhra Pradesh Civil Services (CC&A) Rules, 1991 – Orders – Issued.

PANCHAYAT RAJ AND RURAL DEVELOPMENT (VIG.IA) DEPARTMENT

G.O.Rt.No. 1899 .

Dated:12-10-2012

Read the following:-

1. General Administration (V&E) Dept., Appraisal Report No.100 (512/V&E/E1/2008), dt. 19.10.2010.
2. G.O.Rt.No.1972, PR&RD (Vig.IA) Dept., dt. 27.12.2011.
3. Written Statement of Defence of Sri V. Kailashnath, Superintending Engineer, Panchayat Raj Circle, Kakinada, dt.09.03.2012.

ORDER:

In the reference 2nd read above, charges were framed under Rule 20 of Andhra Pradesh Civil Services (CC&A) Rules, 1991 against Sri V. Kailashnath, formerly i/c Superintending Engineer, Panchayat Raj, Nellore District presently i/c Superintending Engineer, Panchayat Raj, Kakinada, East Godavari District, for the irregularities committed in tender process in three (3) road works in Panchayat Raj Circle, Nellore District.

2. In response to the above charges, the Charged Officer Sri V. Kailashnath, formerly i/c Superintending Engineer, Panchayat Raj, Nellore District presently i/c Superintending Engineer, Panchayat Raj, Kakinada, East Godavari District has submitted his written statement of defence, vide reference 3rd read above.

3. After examining the written statement of defence submitted by the charged officer, Government have decided to conduct regular enquiry into the charges framed against Sri V. Kailashnath, formerly i/c Superintending Engineer, Panchayat Raj, Nellore District presently i/c Superintending Engineer, Panchayat Raj, Kakinada, East Godavari District, under Andhra Pradesh Civil Services (CC&A) Rules, 1991 and accordingly Government hereby appoint the Chief Engineer, Panchayat Raj, Vigilance & Quality Control & SQC, Hyderabad as Enquiry Officer under Rule 20(2) of Andhra Pradesh Civil Services (CC&A) Rules, 1991 to conduct enquiry against the Charged Officer.

4. Government also hereby appoint the Superintending Engineer, Panchayat Raj, Nellore District as Presenting Officer to present the case before the Enquiry Officer, under Rule 20(5)(c) of A.P.Civil Services (CC&A) Rules, 1991.

5. The Presenting Officer shall acquaint himself with the facts of the case and present the case before the Enquiry Officer effectively. He is also requested to obtain and produce documents, if any, required by the Enquiry Officer, during the course of enquiry.

(PTO)

::2::

6. The Enquiry Officer shall conduct the enquiry strictly in terms of Rule 20 of Andhra Pradesh Civil Service (CC&A) Rules, 1991 and submit his report as required under sub-rule 18(ii) of the above said rule. Copy of the charge Memo issued to the Delinquent Officer and the Written Statement of Defence submitted by him are herewith furnished to the Enquiry Officer as required under Rule 20(7) of Andhra Pradesh Civil Services (CC&A) Rules, 1991.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

C.R.BISWAL
PRINCIPAL SECRETARY TO GOVERNMENT

To
The Chief Engineer, Panchayat Raj, Vigilance & Quality Control & SQC,
Hyderabad & Enquiry Officer (w.e.)
The Superintending Engineer, Panchayat Raj, Nellore & Presenting Officer
(w.e.)

Copy to:

The Individual through Engineer-in-Chief, Panchayat Raj, Hyderabad.
The Engineer-in-Chief, Panchayat Raj, Hyderabad.
The Secretary to VC, APVC, Hyderabad.
The G.A.(V&E) Department.
(Vigilance Appraisal Report No.100 (512/V&E/E1/2008), dt. 19.10.2010)
SF/SC.

// FORWARDED BY ORDER//

SECTION OFFICER